



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

 PHONE (800) ALANJAY (252-6529)
 DIRECT
 863-385-9610
 WWW.ALANJAY.COM
 33717-3

 Corporate Office Office
 2003 U.S. 27 South Sebring, FL 33870
 MOBILE 904-838-4999
 Mailing Address
 P.O. BOX 9200 Sebring, FL 33871-9200

ORIGINAL QUOTE DATE 10/6/2021

# **QUICK QUOTE SHEET**

REVISED QUOTE DATE 10/8/2021

REQUESTING AGENCY MARCO ISLAND, CITY OF **LAURA RYAN** LRyan@cityofmarcoisland.com CONTACT PERSON **EMAIL** 239-389-3946 **PHONE** MOBILE 239-877-6303 FAX www.NationalAutoFleetGroup.com SOURCEWELL (FORMERLY NJPA) CONTRACT # 2022 120716-NAF & 060920-NAF CK56403 R7M 1WT MODEL **MSRP** \$53.920.00 2022 CHEVY SILVERADO 4500 MEDIUM DUTY REGULAR CAB 4WD 1WT \$50,466.00 **CUSTOMER ID BASE VEHICLE PRICE BED LENGTH** \*\* All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order. **FACTORY OPTIONS DESCRIPTION** GAZ H2Q EXTERIOR COLOR SUMMIT WHITE WITH DARK ASH - JET BLACK ACCENTS VINYL TRIM INTERIOR (40/20/40 split-bench, 3 \$0.00 passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible L5D \$0.00 Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS MIU \$285.00 \$0.00 R7M A31 Windows, power with driver express up and down and express down on all other windows \$285.00 Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. DPN \$350.00 Trailer brake controller, integrated II 1 \$0.00 PIO, Power Take Off, engine control provisions \$270.00 **BACKUP ALARM** \$130.00 UZF UY7 Trailering provisions, trailering wire harness only, trailer combined (Stop/Tail/Turn) connection socket and harness \$0.00 mounted at rear of frame \$1,320.00 FACTORY OPTIONS **CONTRACT OPTIONS** DESCRIPTION New CITY tag Includes temp tag & two way overnight shipping for signature. **NEW-TAG** \$245.00 PTC 12' DUMP MI Premier Fab & install 12' steel dump body with Solid headboard, 3/16" smooth floor (one piece), 3" channel \$19,410.00 crossmembers 12" O/C, 6" channel longsills, 30" solid sides and barn doors, Full width rear skirt, Under coated, epoxy primed, painted black, DOT lights and reflectors, Mud flaps, ICC bumper, PTO, pump, tank, HOIST, VC516DM double acting power unit, 7 ton capacity, Electric tarp system, includes tarp, Angle Back Flatbed Dump Hitch Plate Bumper with 2 Inch Receiver, 7 way RV & 4 flat socket (Includes 2nd stage MSO, weight slip, & final-stage manufacturers completed vehicle certification) FS MPS62U-4 AW (4) Federal Signal MicroPulse Ultra dual color with (2) mounted in grille and (2) mounted to rear of vehicle. \$705.00 Amber/White \$195.00 CAMERA-GM Upfitter to install factory ordered camera (REQUIRES 5N5).

**CONTRACT OPTIONS** 

\$20,555.00





SOURCEWE	LL (I	FORMI	ERLY	NJPA	() CO	NTR	ACT #	<b># 202</b> :	2 1207	716-N	AF &	0609	20-NA	۴ ۱	www	/.Nat	ional	Auto	oFle	etGr	oup.c	om
																	ICLE .			\$	51,780	
																MSR CCESS				¢	9 ! <b>20,55</b>	.1% 5.00
TRADE IN																USTO					72,34:	
		Y	ES WE	TAKE	TRAD	DE INS	~~~	ASK A	BOUT	MUN	NICIP/	AL FIN	IANCII	NG ~^								\$0.00
													TRAD			QT	1	1		\$	72,34	1.00
	Estir	mated A	Annual						id in a	dvand	ce: \$3	16,20	1.41						<del></del>			-
				Munic	ipal fii	nance	for any	y esser	ntial us	e vehi	icle, re	equire	s lende	er app	roval,	WAC.						
Comments				ID:O=:	0=:-			0011	-D		000:	NIT	A N I A	-D .	ata a	-140						
VEHICLE QUOT		Y		HRISTY				ant to	be Y	<u>′our</u> F	-leet	Provi	ider"						conto	ot mo	of any #	mo

I am always happy to be of assistance.

### **Window Sticker**

### **SUMMARY**

[Fleet] 2022 Chevrolet Silverado MD (CK56403) 4WD Reg Cab Work Truck

MSRP:\$53,560.00

Interior: Dark Ash seats with Jet Black interior accents, Vinyl seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible

Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS

#### **OPTIONS**

CODE	MODEL	MSRP
CK56403	[Fleet] 2022 Chevrolet Silverado MD (CK56403) 4WD Reg Cab Work Truck	\$53,560.00
	OPTIONS	
092	Rear axle, 4.30 ratio	\$0.00
1WT	Work Truck Preferred Equipment Group	\$0.00
9L3	Spare tire delete	\$0.00
A31	Windows, power with driver express up and down and express down on all other windows	\$290.00
AE7	Seats, front 40/20/40 split-bench, 3-passenger	\$0.00
C7R	GVWR, 16,500 lb. (7484 kg)	\$0.00
DPN	Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black.	\$355.00
ED9	Wheelbase, 165" (419.1 cm), 84" CA	\$0.00
FTB	Front axle, 7,500 lb., Dana Spicer 60-256, single-reduction, front driving	\$0.00
GAZ	Summit White	\$0.00
GL4	Rear axle, 11,000 lb. (4,999 kg) Dana Spicer S14-110, single reduction	\$0.00
GR3	Rear suspension, 11,000 (4,990 kg) multi-leaf, vari-rate	\$0.00
H2Q	Dark Ash seats with Jet Black interior accents, Vinyl seat trim	\$0.00
IO3	Audio system, 4.2" diagonal color display	\$0.00
L5D	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14870. Data Updated: Oct 6, 2021 1:20:00 AM PDT.

MIU	Rugged Duty Service Transmission, Automatic closewith double overdrive, Allison, A1700RDS	ratio 6 SPD	\$290
PTO	Power Take Off, engine control provisions		\$280
PWQ	Wheels, 19.5" x 6.75", steel, Black painted, 8-holes, h	nub piloted	\$0
R6G	26,000 lb. GCWR (11,793 kg)		\$6
R7M	4500 HD Series	Inc.	
SFW	Back-up alarm calibration	Inc.	
UZF	Backup alarm		\$14
XDK	Tires, front 225/70R19.5G highway blackwall Goodye	ar	\$
YAL	Tires, rear 225/70R19.5G highway blackwall Goodyea	ar	\$
ZY1	Paint, solid		\$
	SUBTOTAL		\$54,91
	Adjustments Total		\$
	Tire Weight Tax		\$2
	Destination Charge		\$1,69
	TOTAL PRICE		\$56,63

Data Version: 14870. Data Updated: Oct 6, 2021 1:20:00 AM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

# **Standard Equipment**

Otanidara Equi	pinent
Mechanical	
	4500 HD Series (Included and only available with (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR or (C7R) 16,500 lb. GVWR.) (STD)
	GVWR, 16,500 lb. (7484 kg) (Silverado 4500 HD 4WD models require one of the following combinations: (1) (FTB) 7.5k front axle and (FTV) 7.5k front suspension and (FN1) 10k rear axle or (GL4) 11k rear axle and (GR3) 11k rear suspension. (2) (FTB) 7.5k front axle and (FTV) 7.5k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (FU7) 15.5k rear suspension, (91B) 13.5k LiquidSpring prep single volume rear suspension or (91E) 15.5k LiquidSpring prep stacked volume rear suspension.) (STD)
	Emissions, 50 state certification
	Emissions, USA 50 State certified
	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible 350 hp @ 2700 rpm, 700 lbft. torque @ 1600 rpm (STD)
	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700HS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Highway Series, 19.5K GVW & 26K GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K (Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (R6G) 26,000 lb. GCWR (11,793 kg).) (STD)
	Rear axle, 4.30 ratio Max road speed: 75 MPH
	Front axle, 7,500 lb., Dana Spicer 60-256, single-reduction, front driving
	Front suspension, 7,500 lb. (3,402 kg) multi-leaf, includes shock absorbers
	Wheelbase, 165" (419.1 cm), 84" CA (Requires (F0C) 49" axle to end of frame, (F0D) 63" axle to end of frame or (F0K) 91" axle to end of frame. Requires (PCJ) Vocational Specific Heavy Suspension Package, when ordering (FTA) 7,000 lb. Front axle/(FK6) 7,000 lb. Front suspension or (FTL) 8,000 lb. Front axle/(FSN) 8,000 lb. Front suspension or (FU7) 15,500 lb. rear suspension.) (STD)
	Rear axle, 11,000 lb. (4,999 kg) Dana Spicer S14-110, single reduction
	Rear suspension, 11,000 (4,990 kg) multi-leaf, vari-rate (STD)
	Neutral-at-Stop Automatic transmission shifts to neutral when the service brake is depressed while the vehicle is at a complete stop, and remains in neutral until the service brake is released
	Transmission shift control calibration, fuel sense Performance
	Four wheel drive
	Batteries, heavy-duty dual 1100 cold-cranking amps includes battery box mounted to left side under cab
	Alternator, 150 amps
	Trailering provisions, trailering wire harness only, trailer combined (Stop/Tail/Turn) connection socket and harness mounted at rear of frame.
	Trailer brake controller, integrated

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14870. Data Updated: Oct 6, 2021 1:20:00 AM PDT.

Mechanical	
	Incomplete vehicle
	Axle to End of Frame, 49" (Requires wheelbase (ED5) 201", (ED9) 165" or (ER2) 189". Not available with (G40), (GP1) or (GP8) rear air suspension.)
	Axle, Open rear axle, non-locking rear
	Axle lubricant, front, synthetic oil EmGard FE-75W-90
	Axle lubricant, rear, synthetic oil EmGard FE -75W-90
	Steering, power (Bosch S2 8014 Plus)
	Brakes, hydraulic, heavy duty Bosch/Meritor/Wabco system with 4-channel (ABS) (Includes (J69) driveline park brake.)
	Fuel tank, rear only, 40 gallon mounted between frame side rails and behind rear axle
	Fuel, diesel B20
	Capped Fuel Fill
	Exhaust system, rear exit
	Exhaust brake
Exterior	
	Wheels, 19.5" x 6.75", steel, Black painted, 8-holes, hub piloted (STD)
	Tires, front 225/70R19.5G highway blackwall Goodyear Max Axle Load: 7,940 lb. (Requires (YAL) Tires, rear 225/70R19.5G highway blackwall Goodyear, Max Axle Load: 15,000 lb. or (YMF) Tires, rear 225/70R19.5G traction blackwall Goodyear, Max Axle Load: 15,000 lb.) (STD)
	Tires, rear 225/70R19.5G highway blackwall Goodyear Max Axle Load: 15,000 lb. (STD)
	Spare tire delete (STD)
	Wheel, spare delete
	Bumper, front, Black
	Assist steps
	Front fender extension, painted body color
	Grille, base, molded in color, Black
	Grille guard screen, insect protection (mounted behind grille)
	Headlamps, halogen projector-beam
	Lamps, cargo area, cab mounted with switch on center switch bank
	Lamps, Smoked Amber roof marker
	Lamps, rear, stop/turn/backup (1-piece assembly) with license plate light
	Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14870. Data Updated: Oct 6, 2021 1:20:00 AM PDT.

Oct 6, 2021

Exterior	
	Glass, solar absorbing, tinted
	Antenna, fixed mast
	Door handles, Black
Entertainment	
	Audio system, 4.2" diagonal color display AM/FM stereo with USB port and auxiliary jack (Requires (AE7) front 40/20/40 split-bench seat. Not available with (UE1) OnStar or (U2K) SiriusXM Radio.) (STD)
	SiriusXM, delete
	Audio system feature, 4-speaker system
Interior	
	Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD)
	Interior trim, Jet Black/Dark Ash (Required and only available with (H2Q/H2R) Dark Ash seats with Jet Black interior accents.)
	Seat trim, Vinyl
	Seat Belt, Black
	Floor covering, Graphite-colored rubberized-vinyl
	Steering wheel, urethane
	Steering column, manual Tilt-Wheel
	Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Speedometer, miles/kilometers
	Driver Information Center, 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
	Upfitter switch kit provides up to 4-30 amp circuits to facilitate installation of aftermarket electrical accessories located on the instrument panel
	Windows, manual driver and front passenger
	Door locks, power
	Cruise control, steering wheel-mounted
	Air conditioning, single-zone
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger, vinyl
	Assist handle, front passenger and driver on A-pillars

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14870. Data Updated: Oct 6, 2021 1:20:00 AM PDT.

Oct 6, 2021

Safety-Mechanical	
	Brake, parking, driveline park brake system
	Electronic Stability Control System with Traction Control includes Electronic Trailer Sway Control and Hill Start Assist
	Traction control
Safety-Exterior	
	Daytime Running Lamps, with automatic exterior lamp control
Safety-Interior	
	Airbags, Single-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front outboard seating positions; Includes airbag deactivation switch for front outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Airbag deactivation switch, frontal passenger-side (Included and only available with (AY0) airbags.)
	OnStar, delete
	Rear Vision Camera, display integrated into Radio (Shipped loose in cab for upfitter installation.)
	Horn, single-note
WARRANTY	
	Warranty Note: <<< Preliminary 2022 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years (Allison Basic): 5 Drivetrain Years: 5 Drivetrain Miles/km (Allison Basic): Unlimited Drivetrain Miles/km: 100,000

Roadside Assistance Years: 5

Corrosion Miles/km (Rust-Through): 100,000

Drivetrain Note: Duramax Diesel Corrosion Years (Rust-Through): 6

Corrosion Miles/km: 36,000

Corrosion Years: 3

Roadside Assistance Miles/km: 100,000 Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14870. Data Updated: Oct 6, 2021 1:20:00 AM PDT.